

YUANTAI CRANE

Ship-building Gantry Crane Specifications



- Novel structure, and good in usability
- Main girder is box beam, sealed well, corrosion prevention and durableness
- PLC controller, Ac conversion and speed governing, low speed of micro move



Part 1 Introduction

Basic Parameters

Lifting capacity:100t-600tSpan:50m-200mWorking class:A5Temperature: $-20 \sim +40^{\circ}C$

Overview


It is consisted with bridge frame, crane travelling mechanism, trolley and electric equipment; Operation is controlled in cabin;

Apply to outdoor work of loading and unloading, and lifting.

Features


Novel structure, and good in usability; Rotary lifting tools, enlarge the working place and improve working effeciency; PLC controller, AC conversion and speed governing, low speed of micro move; Main girder is box beam, sealed well, corrosion prevention and durableness; High quality steel, reduce weight and wheel load. The cabin equipped with emergency exit.

Part 2 Drawing









Part 3 Parameters

产品规格 Product specification				250t×60m	300t×108m	600t×60m
工作级别 Working class				A5		
-	抬吊重量 Common lifting		t	250	300	600
	翻身重量 Turning over		t	200	200	400
跨度 Span			m	60	108	60
起升高度 Hoisting height			m	48	70	轨上 Above rail 40 轨下 Below rail 5
上小车 Upper trolley	起重量 Capacity		t	100×2	100×2	200×2
	起升速度 Hoisting speed		m/min	0.5-5-10	0.5-5-10	0.4-4-8
	运行速度 Traveling speed			1~28.5	3~30	1~25
下小车 Lower trolley	起重量	主钩 Main hook	- t	100	150	300
	Capacity	副钩 Sub hook		20	20	32
	起升速度	主钩 Main hook	m/min	0.5-5-10	0.5-5-10	0.4-4-8
	Hoistingspeed	副钩 Sub hook		10	10	10
	运行速度 Traveling		m/min	1~26.5	3~30	1~25
维修吊车 Maintenance hoist	起重量 Capacity		t	5	5	5
	起升速度 Hoisting speed		m/min	8	8	8
	小车运行速度 Trolley speed		m/min	20	20	20
	回转速度 Rotating speed		r/min	0.9	0.9	0.9
大车运行速度 Gantry speed			m/min	1~26.5	3~30	1~25
最大轮压 Max. wheel load			kN	200	450	430
电源 Power source				380V / 10 kV; 50Hz; 3 Phase		





Henan Yuantai Crane Machinery Import&Export Co.,Ltd.

Address:Henghua Business Building 712,Garden Road,Zhengzhou,Henan,China. Tel: 86-371-65760776 Fax: 86-371-65760775 Web: www.ytcrane.com Email: yuantai@ytcrane.com

Tips:

You can use the phone dimensional code recognition software to scan the right side of the two-dimensional code, to quickly and easily access our web site for more information.